

ARYAPET FILM PRODUCT LIST

Sr. No.	ARYA PET	Main Features	Thickness (Microns)	Pre- treatment	Main Applications
1	A100	Super clear film	12,19,23,36,50,75,100,125,175,188,250	Very low haze film with high clarity	Reprographics, Holographic, packaging, labels, photosensitive Coating
2	A110	Super clear film	12,15,19,23,36,50	One side corona Treated film	Reprographics, Holographic, packaging, labels, photosensitive Coating
3	A111	Super clear film	50,75,100,125,175,188	One or Both side Antistatic Coated film	Montage
4	A112	Super clear film	50,75,100,125,175,188	One side corona & other side acrylic coated	Montage, Layout base, Window box, photocopy, LCD.
5	A114	Super clear film	50,75,100,125,175,188	One side Antistatic Coated other side Anchor coated	Montage ,Layout base, Window box, photocopy
6	A116	Super clear film	50,75,100,125,175,188	One side Antistatic Coated other side Acrylic coated	Montage ,Layout base, Window box, photocopy
7	A119	Super clear film	38,50,75,100,125,175,188	One side Anchor Coated other side Corona Treated	Montage ,Layout base, Window box, photocopy
8	A120	Super clear film	50,75,100,125,175,188	One or Both side Co-Polymer Coated film	Montage ,Layout base, Window box, photocopy
9	A122	Super clear film –for Solvent base inks	50, 75, 100, 125, 175, 188	One or Both side Slip coated(Anchor coated) film	LDC , LED, BEF, diffusion sheet photocopy
10	A123	Super clear film –for Aqueous base inks	36, 50,75,100,125,175,188	One or Both side Anchor coated	Montage ,Layout base, Window box, photocopy
11	A127	Super clear film–for PU resin/ ink	50, 75, 100, 125, 175, 188	One or both side PU coated film	LDC , LED, BEF, diffusion sheet photocopy
12	A131	Super clear film	12,15,19,23,36,50	Acrylic Coated on one side	Montage ,Layout base, Window box, photocopy
13	A133	Super clear film	12,15,23,36,50,75	Acrylic Coated on Both side	Printing , Packaging , solar control Layout base, photocopy
14	A153	Super clear film	23,36,50,75,100,125	One or Both side Acrylic Coated	Thermal lamination
15	A170	Super clear film	12,15,19,23,30,36,50	Very low haze film with high clarity	Siliconising & Adhesive tape
16	A174	Super clear film	50,75,100,125,175,188	Both Side Anti fog Coated	Surgical Medical Mask
17	A200	Optically clear film	12,15,19,23,36,50,75,100,125,175,190,250	Plain	Reprographics, Holographic, packaging, labels, photosensitive Coating
18	A202	Optically clear film	85,90,95,100,105,110,115,120,125,130,135,145	Plain	Sequin Application
19	A205	Optically clear film	12,15,19,23,36	Plain	Yarn grade
20	A206	Optically clear film	12,15,19,23,36	Plain	Hot stamping foil
21	A210	Optically clear film	9,10,12,15,19,23,36,50	One side corona pretreated	Metallising, printing, Lamination.
22	A211	Optically clear film	50,75,100,125,175,188	Antistatic Coated on Both side	Montage ,Layout base, Window box, photocopy, LCD protection
23	A212	Optically clear film	12, 15, 19, 23, 36, 50,75,100,125,175,188	One side corona & other side acrylic coated	Montage ,Layout base , Window box, photocopy, LCD protection
24	A213	Optically clear film	10,12,19,23,36, 50	One side corona & other side Co-Polymer coated	Flexible packaging
25	A214	Optically clear film	50,75,100,125,175,188	One side Anchor coated other side Antistatic Coated	Montage ,Layout base, Window box, photocopy
26	A215	Optically clear film	10,12,19,23,36,50	One side corona & other side chemical coated	Flexible packaging (retort application)
27	A216	Optically clear film	50,75,100,125,175,188	One side Antistatic coated other side Acrylic Coated	Montage ,Layout base, Window box, photocopy
28	A217	Optically clear film	50,75,100,125,175,188	One side Antistatic coated other side Corona Treated	Montage ,Layout base, Window box, photocopy
29	A220	Optically clear film	10,12,15,19,23,36,50,75,100,125,175,188	One or Both side Co-Polymer coated	Montage ,Layout base, Window box, photocopy
30	A221	Optically clear film	12,15,19,23,36	One side Co-Polymer coated Other side antistatic	Window film & Lamination

ARYAPET FILM PRODUCT LIST

Sr. No.	ARYA PET	Main Features	Thickness (Microns)	Pre- treatment	Main Applications
31	A222	Optically clear film –for Solvent base inks	36,50,75,100,125,175,188	One or Both side Slip coated	LDC , LED, BEF, diffusion sheet photocopy
32	A223	Optically clear film –for Aqueous base inks	50,75,100,125,175,188	One or Both side Anchor coated	Montage ,Layout base, Window box, photocopy
33	A227	Optically clear film	50,75,100,125,175,188, 250	One or Both side chemical coated	LDC , LED, BEF, diffusion sheet photocopy
34	A231	Optically clear film	12,15,19,23,36,50,75, 100,125,175,188	Acrylic Coated on one side	Montage ,Layout base, Window box, photocopy
35	A233	Optically clear film	12,15,23,36,50,75	Acrylic Coated on Both side	Montage ,Layout base, Window box, photocopy
36	A237	Optically clear film	50,75,100,125,175,188	One side acrylic coated other side PU coated	LDC , LED, BEF, diffusion sheet photocopy
37	A250	Optically clear film	23,36,50,75,100,125	Both side plain film has balance shrinkage	Thermal lamination
38	A251	Optically clear film	23,36,50,75,100,125	One side corona treated balance shrinkage film	Thermal lamination
39	A253	Optically clear film	23,36,50,75,100,125	One or Both side Acrylic Coated	Thermal lamination
40	A265	Optically clear film	10,12,19,23,36,50	One side Chemical coated other side corona Treated	Printing , metalizing ,Coating
41	A270	Optically clear film	50, 75, 100, 125	Very low haze film with high clarity	Siliconising & Adhesive tape
42	A274	Optically clear film	50,75,100,125,175,188	Both Side Anti fog Coated	Surgical Medical Mask
43	A300	Clear Film	12,15,19,23,36,50,75, 100,125,175,190,250	Plain	Labels, photo lamination, FRP
44	A310	Clear Film	12,15,19,23,36,50	One side corona pretreated	Labels, photo lamination, FRP
45	A311	Clear film	50,75,100,125,175,188	One or Both side Antistatic Coated	Montage
46	A314	Clear film	50,75,100,125,175,188	One side Antistatic other side Anchor coated	Montage ,Layout base, Window box, photocopy
47	A316	Clear film	50,75,100,125,175,188	One side Antistatic other side Acrylic coated	Montage ,Layout base, Window box, photocopy
48	A320	Clear film	50,75,100,125,175,188	One or Both side Co-polymer	Montage ,Layout base, Window box, photocopy
49	A322	Clear film	50,75,100,125,175,188	One or Both side Slip Coated	Montage ,Layout base, Window box, photocopy
50	A323	Clear film	50,75,100,125,175,188	One or Both side Anchor Coated	Montage ,Layout base, Window box, photocopy
51	A331	Clear film	50,75,100,125,175,188	One side Acrylic Coated	High quality printing & Lamination.
52	A361	Low Haze film	100, 125 , 250	plain	Photovoltaic
53	A370	Clear film	12,19,23,30,36,50,75	plain	Siliconising application
54	A371	Clear film	12,15,19,23,30,36,50	One side corona Treated	Siliconising application
55	A390	Supper Matte film	12, 19	plain	Label, Thermal lamination, release.
56	A391	Supper Matte film	12, 19	One side corona Treated Low gloss	Label, Thermal lamination, release.
57	A400	Transparent Film	8,10,11,12,15,19,23,36,50	Plain	Printing, Metallising, Lamination process in flexible Pkg.
58	A405	Transparent Film Yarn Grade	12,15,19,23,36	Plain	Yarn grade
59	A406	Thermally stable & good clarity for this application	12,15,19,23,36	Plain	Hot stamping foil
60	A408	High friction film	12 , 23	plain	Packaging of big bulk packages
61	A410	Good wettability & excellent machinability	8,9,10,11,12,15,19,23, 30,36,50	One side corona Treated	Metallising, printing, Lamination.
62	A411	Hazy Film	50,75,100,125,175,188	One or Both side Antistatic Coated	Montage

ARYAPET FILM PRODUCT LIST

Sr. No.	ARYA PET	Main Features	Thickness (Microns)	Pre- treatment	Main Applications
63	A412	Better ink adhesion	12,19,23,36,50	One side corona & other side acrylic coated	Flexible packaging.
64	A413	Better metallising, ink adhesion, improved bond strength.	10,12,19,23,36	One side corona & other side Co-Polymer coated	Flexible packaging
65	A415	Better metallising, ink adhesion, improved bond strength	10,12,19,23,36,50	One side corona & other side chemical coated	Flexible packaging (retort application)
66	A417	Transparent Film	50,75,100,125,175,188	One side Antistatic coated other side Corona Treated	Flexible packaging.
67	A418	High friction film	12 , 23	One side corona treated other side High COA	Packaging of big bulk packages
68	A420	Improved bond strength in flexible packaging	10,11,12,23,36,50, 75,100,125,175,188	One side Co-Polymer coated	Printing , metalizing ,Coating
69	A422	Improved bond strength in flexible packaging	12,19,23,36,50	Both side Co-Polymer coated	Printing , metallising ,Coating
70	A423	Transparent polyester film	10,12,19,23,36,50	One side Anchor coated	Adhesion to Aqueous base resin
71	A425	Good adhesion to solvent base printing inks	10,12,19,23,36,50	One side chemically Coated	Retort application
72	A427	Transparent polyester film	12,15,23,36,50	One side chemically Coated	Designed for printing & polyethylene adhesion.
73	A428	High friction film	12, 23	one side high friction & Other side Co-Polymer coated	Packaging of big bulk packages.
74	A431	Improved ink adhesive in flexible packaging	10,11,12,19,23,36,50, 75,100,125,175,188	One side acrylic coated	Printing & Lamination.
75	A432	Improved ink adhesive in flexible packaging	12	One side acrylic coated,& other side Co-Polymer coated	printing & lamination
76	A433	Improved ink adhesive in flexible packaging	12,15,23,36,50	Both side acrylic coated	High Quality printing & lamination
77	A438	High friction film	12, 23	One side high friction & Other side Acrylic coated	Packaging of big bulk packages.
78	A441	Transparent polyester film	18,20,23	One side Antistatic Coated	Candy, Chocolate packing
79	A443	Transparent polyester film	18,20,23	Plain or One side corona treated film	Candy, Chocolate packing
80	A444	Transparent polyester film	18,20,23	One side antistatic Coated other side corona Treated	Candy, Chocolate packing
81	A449	Matte Film	23	Plain or One side corona treated film	Candy, Chocolate packing
82	A450	Transparent film with controlled thermal properties	12,15,19,23,23,36,50	Plain	Thermal Lamination
83	A455	Good adhesion to solvent base printing inks	12,19,23,36,50	Both side chemically Coated	Retort application
84	A456	Improved bond strength in flexible packaging	10,11,12,23,36,50	One side chemical coated	Printing , metalizing ,Coating
85	A460	Hazy film	12,15,19,23,36,50,75, 100,125,90,250,300, 350	This film has high haze Electrical, Industrial application	Cable insulation & electric grade application
86	A461	Hazy film	75,125,190,250,300, 350	This grade is low shrinkage film.	Photovoltaic Application
87	A462	Hazy film- for solvent base ink adhesion	50,75,100,125,175, 188	One or Both side Slip Coated	Printed circuit board
88	A463	Hazy film- for aqueous base ink adhesion	50, 75, 100, 125, 175, 188	One or Both Anchor Coated	Printed circuit board
89	A464	Hazy film	50, 75, 100, 125, 175, 188	One or both side Co-Polymer coated	Printed circuit board
90	A465	Transparent film Improved bond strength in flexible packaging	10,12,19,23,36,50	One side Chemical coated other side corona Treated	Printing , metalizing ,Coating
91	A466	Hazy film	75,125,190,250,300, 350	One or Both side Anchor coated low shrinkage film.	Photovoltaic Application
92	A467	Hazy film	75,125,190,250,300, 350	One or Both side PU coated low shrinkage film.	Photovoltaic Application

ARYAPET FILM PRODUCT LIST

Sr. No.	ARYA PET	Main Features	Thickness (Microns)	Pre- treatment	Main Applications
93	A469	Hazy film	50, 75, 100, 125, 175, 188	One side Anchor coated other side corona.	Printed circuit board
94	A470	Hazy film	12,19, 23, 30, 36, 50, 75, 100, 125	Plain	Siliconising application
95	A471	Hazy film	12,19, 23, 30, 36, 50, 75, 100, 125	One side corona treated	Siliconising application
96	A473	Hazy film- for aqueous base ink adhesion	50, 75, 100, 125, 175, 188	One or Both Side Anchor Coated	Siliconising application
97	A480	Plain film	36, 50	Plain	Mining application
98	A490	Matte film	12,19,23,36,50,75	This is translucent film with medium gloss	Label, Thermal lamination, release.
99	A491	Matte film	12,23,50	One side corona Treated medium gloss	Label, Thermal lamination, release.
100	A492	Matte film	12,23,50	One side Co-Polymer coated medium gloss	Label, Thermal lamination, release.
101	A493	Matte film	12,23,50	One side Acrylic coated medium gloss	Label, Thermal lamination, release.
102	A495	Matte film	12,23,50	One side Chemical coated medium gloss	Label, Thermal lamination, release.
103	A499	Slightly hazy film	10, 12,23, 36, 50, 75	This is plain or corona/Chemical treated isotropic film	Lidding for Dairy product
104	A500	Heat Sealable film	12,15, 20, 25.30,36	One side or both side heat sealable	Flexible packaging
105	A504	Heat Sealable film	12,15, 20, 25.30,36	One side heat sealable other side Antistatic	Flexible packaging
106	A506	Heat Sealable film	12,15, 20, 25.30,36	One or Both side Heat Sealable film with low sealing strength	Flexible packaging
107	A510	Heat Sealable film	12,15, 20, 25.30,36	One side heat sealable other side corona Treated	Flexible packaging
108	A514	Heat Sealable film	12,15, 20, 25.30,36	Antistatic coated on heat sealable other side corona Treated	Flexible packaging
109	A516	Heat Sealable film	12,15, 20, 25.30,36	One side heat sealable other side corona treated with low sealing strength	Flexible packaging
110	A520	Heat Sealable film	12,15, 20, 25.30,36	One side heat sealable other side copolymer coated	Flexible packaging
111	A531	Heat Sealable film	12,15,20,25.30 ,36	One side heat sealable other side acrylic coated	Flexible packaging
112	A544	Heat Sealable film	12,15,20,25.30 ,36	One side heat sealable with both side antistatic coated	Flexible packaging
113	A550	Heat Sealable film with High Sealing strength	12,15,20,25.30 ,36	One side or both side heat sealable	Flexible packaging
114	A551	Heat Sealable film with High Sealing strength	12,15,20,25.30 ,36	One side heat sealable other side Corona Treated	Flexible packaging
115	A571	Heat Sealable film	20,30	Anti fog coating in heat sealable other side corona	Flexible packaging
116	A574	Heat Sealable film	20,30	Anti fog coating in heat sealable side other side Plain	Flexible packaging
117	A600	Milky White	36, 50, 75,100, 125, 190, 225, 250,300,350	This film has superior thermal property	Insulating material for rotating electrical machines.
118	A600	Milky White	12, 23	One side corona treated film	Flexible packaging.
119	A622	Milky White	36, 50, 75,100, 125, 190, 225, 250,300,350	One or both side acrylic coated milky white film	Insulating material for rotating electrical machines.
120	A623	Milky White	36, 50, 75,100, 125, 190, 225, 250,300,350	One or both side Anchor coated milky white film	Insulating material for rotating electrical machines.
121	A627	Milky White	36, 50, 75,100, 125, 190, 225, 250,300,350	One or both side chemical coated milky white film	Polyethylene adhesion and other industrial applications.

ARYAPET FILM PRODUCT LIST

Sr. No.	ARYA PET	Main Features	Thickness (Microns)	Pre- treatment	Main Applications
122	A643	Milky White	23	Plain or One side corona treated film	Candy, Chocolate packing
123	A660	White film	36, 50, 75,100, 125, 190, 225, 250,300,350	This film has both side semi Matt & High opacity	Electrical InsulatiOn
124	A700	white opaque	23, 36, 50, 75,100, 125, 190, 225, 250,300,350	Plain Film	label printing, photographic printing, coating
125	A710	white opaque	23 , 36, 50	One side corona treated	label printing, photographic printing, coating
126	A722	white opaque	36, 50, 75,100, 125, 190, 225, 250,300,350	One or both side acrylic coated film	label printing, photographic printing, coating
127	A723	white opaque	36, 50, 75,100, 125, 190, 225, 250,300,350	One or both side anchor coated film	label printing, photographic printing, coating
128	A755	white opaque	36, 50, 75,100, 125, 190, 225, 250,300,350	Both side chemical coated film	label printing, photographic printing, coating
129	A760	white opaque	50	UV resistance plain film	Photovoltaic , printing, coating
130	A800	Amber Color Film	12, 15, 19, 23, 36	Plain film	Printing , metalizing ,Coating
131	A810	Amber Color Film	12, 15, 19, 23, 36	One side corona treated film	Printing , metalizing ,Coating
132	A820	Amber Color Film	12, 15, 19, 23, 36	One side co-polymer coated film	Printing , metalizing ,Coating
133	A831	Amber Color Film	12, 15, 19, 23, 36	One side Acrylic coated film	Printing , metalizing ,Coating
134	A843	Amber Color Film	23	Plain or One side corona treated film	Candy, Chocolate packing
Metallized Film					
135	AM020	20% VLT Metallized film	12, 23	Metallized on plain other side plain film	Window , sunlight protection
136	AM035	35% VLT Metallized film	12, 23	Metallized on plain other side plain film	Window , sunlight protection
137	AM050	50% VLT Metallized film	12, 23	Metallized on plain other side plain film	Window , sunlight protection
138	AM070	70% VLT Metallized film	12, 23	Metallized on plain other side plain film	Window , sunlight protection
139	AM200	Metallized film	19,23,36,50,75,100	Metallized on plain other side plain	Flexible Packaging
140	AM202	Metallized film	110,120,125,135,140,150	Metallized on plain other side plain	Sequin application
141	AM203	Metallized film	10,12,19,23,36	Metallized on plain other side acrylic coated	Flexible Packaging
142	AM205	Metallized film	12,19,23	Metallized on plain other side plain	Yarn grade application
143	AM210	Metallized film	10,12,19,23,36	Metallized on corona treated other side plain polyester	Flexible Packaging
144	AM213	Metallized film	10,12,19,23,36	Metallized on corona treated other side co-polymer	Flexible Packaging
145	AM215	Metallized film	10,12,19,23,36	Metallized on corona treated other side chemical	Retort application
146	AM225	Metallized film	10,12,19,23,36	Metallized on chemical other side plain	Retort application
147	AM251	Metallized film	10,12,19,23,36	Metallized on chemical coated other side corona	Retort application
148	AM252	Metallized film	10,12,19,23,36	Metallized on Plain other side chemical coated	Retort application
149	AM301	Metallized film	10,12,19,23,36	Metallized on plain other side corona treated	Flexible Packaging
150	AM310	Metallized film	10,12,19,23,36	Metallized on corona treated other side plain polyester	Flexible Packaging
151	AM391	Metallized film	12, 19, 23	Metallized on corona other side plain matte film	Flexible Packaging
152	AM400	Metallized film	10,12,19,23,36	Metallized on plain other side plain	Flexible Packaging

ARYAPET FILM PRODUCT LIST

Sr. No.	ARYA PET	Main Features	Thickness (Microns)	Pre- treatment	Main Applications
153	AM401	Metallized film	10,12,19,23,36	Metallized on plain other side corona treated	Flexible Packaging
154	AM402	Metallized film	10,12,19,23,36	Metallized on plain other side Co-polymer coated	Flexible Packaging
155	AM403	Metallized film	10,12,19,23,36	Metallized on plain other side acrylic coated	Flexible Packaging
156	AM405	Metallized film	12,19,23	Metallized on plain other side plain	Yarn grade application
157	AM407	Transfer Metallized film	12,19,23	Metallized on plain other side plain	Metalized Transfer Application
158	AM410	Metallized film	10,12,19,23,36	Metallized on corona treated other side plain polyester	Flexible Packaging
159	AM412	Metallized film	10,12,19,23,36	Metallized on corona treated other side Acrylic coated	Flexible Packaging
160	AM413	Metallized film	10,12,19,23,36	Metallized on corona treated other side Co-polymer coated	Flexible Packaging
161	AM415	Metallized film	10,12,19,23,36	Metallized on corona treated other side Chemical coated	Retort application
162	AM417	Metallized film	12,19,23,25,36	Metallized on corona treated other side plain	Siliconising & Adhesive tape
163	AM420	Metallized film	10,12,19,23,36	Metallized on Co-polymer coated other side plain	Flexible Packaging
164	AM422	Metallized film	10,12,19,23,36	Metallized on Co-polymer coated other side Co-polymer	Flexible Packaging
165	AM425	Metallized film	10,12,19,23,36	Metallized on chemical side & other side is plain	Retort application
166	AM427	Metallized film	10,12,19,23,36	Metallized on chemical side & other side is plain	Flexible Packaging & polyethylene extrusion laminate
167	AM430	Metallized film	10,12,19,23,36	Metallized on Acrylic side & other side is plain	Flexible Packaging
168	AM431	Metallized film	10,12,19,23,36	Metallized on Co-polymer coated other side corona treated.	Flexible Packaging
169	AM441	Metallized film	18,20,23	Metallized on plain other side Antistatic Coated	Candy, chocolate wrapping
170	AM443	Metallized film	18,20,23	Metallized on plain other side plain	Candy , chocolate wrapping
171	AM449	Metallized film	18,20,23	Matte Metallized film other side plain	Candy , chocolate wrapping
172	AM451	Metallized film	10,12,19,23,36	Metallized on Chemical & other side corona treated	Retort application
173	AM452	Metallized film	10,12,19,23,36	Metallized on plain & other side chemically coated	Flexible Packaging
174	AM465	Metallized film	10,12,19,23,36	Metallized on Chemical & other side corona	Flexible Packaging
175	AM490	Metallized film	12, 19, 23, 36, 50, 75	Metallized on plain other side plain matte film	Flexible Packaging
176	AM491	Metallized film	12, 19, 23, 36, 50, 75	Metallized on corona other side plain matte film	Flexible Packaging
177	AM492	Metallized film	12, 19, 23, 36, 50, 75	Metallized on copolymer side other side plain matte film	Flexible Packaging
178	AM495	Metallized film	12, 19, 23, 36, 50, 75	Metallized on Chemical side other side plain matte film	Flexible Packaging
179	AM499	Metallized film	12,23, 36, 50	Metallized on plain other side plain	Lidding for dairy products
180	AM500	Metallized film	12,19,25,30	Metallized on plain other side Heat Sealable film	Flexible Packaging
181	AM505	Metallized film	12,19,25,30	Metallized on Heat Sealable other side plain film	Flexible Packaging
182	AM506	Metallized film	12,19,25,30	Metallized on Modified surface other side plain film	Flexible Packaging & Bag in Box Application

ARYAPET FILM PRODUCT LIST

Sr. No.	ARYA PET	Main Features	Thickness (Microns)	Pre- treatment	Main Applications
183	AM510	Metallized film	12,19,25,30	Metallized on Corona other side Heat Sealable film	Flexible Packaging
184	AM520	Metallized film	12,19,25,30	Metallized on Co-Polymer other side Heat Sealable film	Flexible Packaging
185	AM610	Metallized film	12,19,25,30	Metallized on corona other side milky white film	Flexible Packaging
186	AM643	Metallized film	23	Milky Metallized film other side plain	Candy , chocolate wrapping
187	AM700	Metallized film	50	Opaque white Metallized film other side plain	Flexible Packaging
188	AM800	Amber color Metallized film	12,19,23,36	Metallized on plain other side plain film	Flexible Packaging
189	AM801	Amber color Metallized film	12,19,23,36	Metallized on plain other side corona film	Flexible Packaging
190	AM843	Amber color Metallized film	23	Amber color Metallized film other side plain	Candy , chocolate wrapping
191	AN405	Both side Metallized film	12, 15, 19, 23	Both side Metallized on plain film	Yarn grade application
192	AZ200	Metallized film with plasma treatment	19,23,36,50,75,100	Metallized on plain other side plain film	Flexible Packaging
193	AZ201	Metallized film with plasma treatment	10,11,12,19,23,36	Metallized on plain other side corona film	Flexible Packaging
194	AZ202	Metallized film with plasma treatment	100,110,120,125,135, 140, 150	Metallized on plain other side plain film	Sequin Application
195	AZ203	Metallized film with plasma treatment	10,12,19,23,36	Metallized on plain with plasma other side acrylic coated clear film	Flexible Packaging
196	AZ210	Metallized film with plasma treatment	10,11,12,23,36	Metallized on corona other side plain film	Flexible Packaging
197	AZ220	Metallized film with plasma treatment	50, 75, 100	Metallized on chemical coated other side plain film	Printing & Packaging
198	AZ222	Metallized film with plasma treatment	50, 75, 100	Metallized on Acrylic other side Acrylic film	Printing & Packaging
199	AZ301	Metallized film with plasma treatment	10,11,12,19,23,36	Metallized on plain other side corona film	Flexible Packaging
200	AZ310	Metallized film with plasma treatment	10,11,12,23,36	Metallized on corona other side plain film	Flexible Packaging
201	AZ400	Metallized film with plasma treatment	10,12,19,23,36	Metallized on plain other side plain film	Flexible Packaging
202	AZ401	Metallized film with plasma treatment	10,12,19,23,36	Metallized on plain other side corona treated film	Flexible Packaging
203	AZ402	Metallized film with plasma treatment	10,12,19,23,36	Metallized on plain other Co-Polymer coated	Flexible Packaging
204	AZ403	Metallized film with plasma treatment	10,12,19,23,36	Metallized on plain other side acrylic coated film	Flexible Packaging
205	AZ410	Metallized film with plasma treatment	10,12,19,23,36	Metallized on corona & other side plain film	Flexible Packaging
206	AZ412	Metallized film with plasma treatment	10,12,19,23,36	Metallized on corona & other side acrylic coated film	Flexible Packaging
207	AZ413	Metallized film with plasma treatment	10,12,19,23,36	Metallized on corona & other side Co-Polymer coated film	Flexible Packaging
208	AZ420	Metallized film with plasma treatment	10,12,19,23,36	Metallized on Co-polymer & other side plain film	Flexible Packaging
209	AZ422	Metallized film with plasma treatment	10,12,19,23,36	Metallized on Co-polymer & other side Co-polymer film	Flexible Packaging
210	AZ423	Metallized film with plasma treatment	10,12,19,23,36	Metallized on plain & other side Anchor coated film	Flexible Packaging
211	AZ429	Metallized film with plasma treatment	10,12,19,23,36	Metallized on chemical coated & other side corona Treated film	Flexible Packaging
212	AZ431	Metallized film with plasma treatment	10,12,19,23,36	Metallized on Co-Polymer & other side corona Treated film	Flexible Packaging

ARYAPET FILM PRODUCT LIST

Sr. No.	ARYA PET	Main Features	Thickness (Microns)	Pre- treatment	Main Applications
213	AZ432	Metallized film with plasma treatment	10,12,19,23,36	Metallized on Co-Polymer & other side Acrylic coated film	Flexible Packaging
214	AZ452	Metallized film with plasma treatment	10,12,19,23,36	Metallized on plain & other side chemical coated film	Retort Application
215	AZ490	Metallized film with plasma treatment	12,19,23,36, 50, 75	Metallized on plain matte film other side plain matte film	Flexible Packaging
216	AZ491	Metallized film with plasma treatment	12,19,23,36, 50, 75	Metallized on corona side other side plain matte film	Flexible Packaging
217	AZ492	Metallized film with plasma treatment	12,19,23,36, 50, 75	Metallized on copolymer side other side plain matte film	Flexible Packaging
Alox Film					
218	AP410	Alox Metallized film	12	Alox Metallized on corona side other side plain film	Flexible Packaging
219	AP425	Alox Metallized film	12	Alox Metallized on chemical side other side plain film	Retort Application
220	AX410	Alox Metallized film	12, 15, 23	Alox Metallized on corona side other side plain film	Flexible Packaging
221	AX425	Alox Metallized film	12	Alox Metallized on chemical side other side plain film	Retort Application
222	AC410	Top Coated Alox	12	Top Coated on Alox side other side plain for printable	Flexible Packaging
223	AC500	Top Coated Alox	12	Top Coated on Alox side other Heat sealable film	Flexible Packaging
224	AQ401	Top Coated Alox	12	Top Coated on Alox side other side corona for printable	Flexible Packaging
225	AQ410	Top Coated Alox	12	Top Coated on Alox side other side plain for printable	Flexible Packaging

Customer should check the suitability before using.